



Capacity Building Workshop for

Financing Institutions on Green Hydrogen



July 07, 2023

9:00 am - 5:30 pm IST

Session: Policy Announcements in India - National Hydrogen Mission

Topic: National Green Hydrogen Mission: Policy Perspective

Mr. Anuraag Nallapaneni, Manager, Hydrogen, WRI India





About WRI

WRI India is a research organization that turns big ideas into action at the nexus of environment, economic opportunity and human well-being

We work with governments, businesses, multilateral institutions and civil society to improve people's lives and protect nature.



National Green Hydrogen Mission



India's Focus on Green Hydrogen



Reduce Import of Crude Oil and Fertilizers

Import dependance on Ammonia and natural gas for hydrogen production



Low Cost and Vast RE reserves

Wind Tariffs: 2.9 Rs/kWh (2023) Solar Tariffs: 2.5 Rs./kWh (2023)




Rapid Technology Cost Decline Predicted

Cost of electrolysers expected to decline significantly with economies of Scale

Meet Climate Goals and Net Zero Target





Renewable electricity comprises more than 60% of the cost of green hydrogen production.



National Green Hydrogen Mission (1/2)

Demand Creation





Export Markets

Capturing Global Demand

Substituting imports

Fossil Fuels and Fertilizers



Domestic Demand

Cross Sectoral Applications

Incentivizing Supply



Strategic Interventions for GH2 Transition (SIGHT)

Direct Financial Incentives for:

- **□**Electrolyzer Manufacturing
- **□**Green Hydrogen Production



National Green Hydrogen Mission (2/2)

Key Enablers



Resources

Renewable energy - banking & storage, transmission, finance, land, water



R&D

Result oriented, timebound outputs (PPP, grand challenges etc.)



Ease of doing business

Simpler procedures, taxation, SEZ, commercial issues, single window clearances



Infrastructure & Supply Chain

Ports, Re-fueling, Hydrogen Hubs, pipelines



Regulations & Standards

Testing facilities, standards, regulations, safety & certification



Skill Development, Public awareness

Coordinated skilling programme, online portal



Key Outcomes of Mission Envisaged by 2030

At least
5 MMT GH₂

annual Production

60-100 GW

Electrolyser capacity

125 GW RE Capacity for GH₂
Generation & associated Transmission network

₹ 1 lakh crore Import Savings

50 MMT CO₂

Annual Emissions
Averted

6 lakh

Jobs

₹8 lakh crores

Investment



Mission Outlay

		Mission Components	Amount (₹ Crore)	Amount (₹ Crore)		
	i.	Strategic Interventions for Green Hydrogen Transition (SIGHT)	17,490			
Outlay	ii.	Support for low-carbon Steel projects	455	18,133		
recommended till 2029-30	iii.	Human Resource Development	35			
tili 2023-30	iv.	Public Awareness and Outreach	70			
	V.	Programme Management	83			
	vi.	Support for Shipping and ports projects	115	1,611		
Outlay	vii.	Support for Mobility projects	496			
recommended	viii.	GH ₂ production technologies, storage, hubs, etc.	400			
till 2025-26	ix.	R&D Projects	400			
	х.	Testing Facilities, Standards & Regulations development	200			
		Total		19,744		



Mission Components and Implementation



Strategic Interventions for Green Hydrogen Transition (SIGHT)

Component I: Incentive Scheme for Electrolyser Manufacturing (₹ 4,440 crores)

- Scheme to be implemented by MNRE through Solar Energy Corporation of India (SECI) through competitive selection
- Bidders will be ranked in decreasing order of Selection Parameter = $\sum_{i=1}^{5}$ Local Value Addition Factor X Performance Quotient
- Base incentive starts at Rs. 4440/kW for 1-year and gradually tapers on an annual basis

Year of Sales	1	2	3	4	5
Base Incentive Available (Rs./kW)	4440	3700	2960	2220	1480

Incentive Payout for given Year = Electrolyser sales Volume (in kW) X

Quoted Base Support Rate (in Rs./kW) X Performance Multiplier X

Domestic Value Addition

Mode 1 has a capacity of 1500 MW which is divided into 2 Buckets.

- Bucket 1 maximum allotment capacity to a single bidder is 300 MW, minimum is 100 MW.
- Bucket 2 maximum allotment capacity to a single bidder is 300 MW.
- Bidders can bid for either or both Buckets, Bucket 1 will be decided first

Bucket 1: Electrolyser manufacturing capacity based on indigenously developed stack technology

1200 MW

Bucket 2: Electrolyser manufacturing capacity based on indigenously developed stack technology.

300 MW



^{*}LVA Factor and Domestic Value Addition are based on Local Value Addition.

Performance Quotient and Performance Multiplier are based on Specific Energy Consumption.

Strategic Interventions for Green Hydrogen Transition (SIGHT)

Component II: Incentive Scheme for Green Hydrogen Production (₹ 13,050 crores)

- Scheme to be implemented by MNRE through Solar Energy Corporation of India (SECI) through competitive selection
- Incentives capped at ₹50/kg for I-year, ₹40/kg during II-year, and ₹30/kg during III-year
- Emission intensity as per National Green Hydrogen Standard (0.1765 kg equivalent GH₂ per kg of GNH₃)*

Total Capacities available for	Technology Agnostic Pathways (B1)	Biomass Based Pathways (B2)		
Tranche 1 (450,000 MT/annum)	410,000 MT/annum	40,000 MT/annum		
Minimum Bid Size	90,000 MT/annum	10,000 MT/annum		


Incentive Payout for a given Year = Incentive quoted for that year (in Rs./kg) X Produced/Allocated Capacity**

- ☐ **Mode I**: Bidding on least incentive demanded over the 3-year period, through a competitive bidding process (**currently proposed**)
- ☐ Mode II: Designated agency (SECI) to float bids for procurement through aggregated demand of GH2 and derivatives through competitive selection process



Pilot Projects

- Pilot project design and objectives based on sector
- Technology validation and identification of regulatory requirements
- Estimation of CFA based on additional costs related to Green hydrogen adoption



- DRI Steel
- IndustrialProcess Heating
- HFCEV Vehicles
- Re-fuelingStations

- H2 Propulsion
- Port Re-fueling Infra
- Hydrogen Hubs
- Storage and Transportation
- Agri residue,
 MSW, Sewage to
 Hydrogen



Research and Development

Detailed R&D roadmap under development with a key focus on end-product development in partnership with academia & industry across the globe

Mission Mode Projects - 2022-2027

- Modular electrolysers, Type III/
 Type IV compressed hydrogen
 tanks and PEM fuel cells, to
 increase operational efficiencies
- Biomass based hydrogen generation scale-up for commercial applications

Grand Challenge Projects - 2022-2030

- Critical electrolyser and fuel cell components like MEA, electrocatalysts, CCM, bipolar plates
- Upscale domestic manufacturing capabilities, improve efficiencies and drive down costs

Blue Sky Projects- 2022-2035

 3rd gen electrocatalysts, reversible SOEC & SOFC, seawater electrolysis, thermo-catalytic pyrolysis, plasma pyrolysis, high entropy alloys for reversible H2 storage, etc.

Research and Development strategy under the Mission to support research, innovation and collaboration with the aim to make green hydrogen production, storage, transportation, and utilization affordable, and to enhance the efficiency, safety and reliability of the relevant systems and processes.



Regulations Codes & Standards for Hydrogen Adoption

Hydrogen-Value Chain

Application End User Storage/Distribution Conditioning Generation Industrial Feedstock Liquefaction Pipelines **Industries** Green Hydrogen Standard Road/Rail/Ships Compression Power Energy Transport **Physical Storage Industrial Energy** Hydrogen Safety & Standards Power Harmonized Certification Frameworks Refueling stations Transportation Fuel Policy and Regulation Framework

MNRE has constituted a working group that consist of consists 3 sub-groups with representatives from stakeholder ministries, industry, and institutions for development of Regulations, Codes and Standards (RCS) framework for Green Hydrogen

Sub-Group-I

International Standards and Norms

Hydrogen production and use

Sub-Group-II

Storage and Transportation of Hydrogen

Sub-Group-III

Hydrogen-fuelled mobility applications

Proposed Standard for India

"Green Hydrogen" shall mean Hydrogen Produced using Renewable Energy, including, but not limited to, production through:

- a) Electrolysis
- b) Conversion of biomass.




India's Focus on Green Hydrogen



Reduce Import of Crude Oil and Fertilizers

Import dependance on Ammonia and natural gas for hydrogen production



Low Cost and Vast RE reserves

Wind Tariffs: 2.9 Rs/kWh (2023) Solar Tariffs: 2.5 Rs./kWh (2023)




Rapid Technology Cost Decline Predicted

Cost of electrolysers expected to decline significantly with economies of Scale

Meet Climate Goals and Net Zero Target





Renewable electricity comprises more than 60% of the cost of green hydrogen production.



Opportunities across Hydrogen Value Chain

Hydrogen production infrastructure

- Renewable Energy & Power Transmission
- Electrolyzers
- Balance of Plant components

> 10 MW installed currently

Hydrogen storage and transportation

- Ports, Bunkers & Ships
- Pipelines, Storage tanks & Cylinders
- o Components (Compressors, Actuators, Cylinders, Valves etc.)

Hydrogen applications

- Hydrogen for heating
- o Fuel cell systems
- Manufacturing process adaption/retro fitment/redesign
- o Refueling stations

Projected
Demand
60-100 GW
by 2030



On-Going Implementation of NGHM

Governance Framework: Empowered Group, Advisory Group and Mission Secretariat notified

Concept Notes on **SIGHT programme** formulated

Framework of Standards and Regulations proposed

Definition of Green Hydrogen proposed

Policy actions for reduction of RE cost initiated by MNRE, MoP and State Governments

A committee of experts is framing the basis report for R&D roadmap



State Level Policy Actions (1/3)

Uttar Pradesh – Draft Green Hydrogen Policy

- 100% exemption from payment of land tax, land use conversion charges, stamp duty,
- 50% exemption from industrial water consumption charges.
- 30% one-time grant support for technology acquisition subject to a max ₹ 5 crores
- 100% reimbursement of SGST, cross-subsidy surcharge, distribution charges
- 50% exemption from wheeling charges, intra-state transmission charges
- Additional subsidy of **INR 3500 per tonne** for green urea produced in the state beyond the 10 percent blending share in total production

Rajasthan (Draft Green Hydrogen Policy)

- Exemption from open access charges, wheeling charges, transfer charges, electricity duty, banking charges for 14 years
- 20% capital subsidy, for first 5 units/ companies investing more than ₹ 50 Crores, max subsidy ₹ 50 crore
- One-time reimbursement of **50**% of the cost incurred to acquire advanced technology, Maximum ₹ **2 Crores**.
- Investment Subsidy of 75% of State tax due and deposited, for seven years.
- 100% exemption from payment of Electricity Duty, Land Tax, Market Fee (Mandi Fee) for seven years
- 100% exemption on Stamp Duty, conversion charges



State Level Policy Actions (2/3)

Madhya Pradesh – Renewable Energy Policy

- For electrolyser manufacturing, with investments:
- Greater than or equal to Rs. 50 crores will be eligible for special incentives embarked for the RE equipment manufacturing sector under the industrial promotion policy.

Tamil Nadu (Industrial policy)

- Special incentives for sunrise sectors
- Additional capital subsidy of up to 7.5% of EFA for sunrise sector projects opting flexible capital subsidy.
- 0 10% and 50% concessional rates for land allotment
- 100% stamp duty exemption
- Up to Rs. 1 crore subsidy on national and international certification charges.
- Up to Rs. 1 crore reimbursement for intellectual property created by the project.
- OInterest Subvention up to f 5% as a rebate in the interest rate for financing the project for 6 years
- Electricity tax exemption for 5 years and green industry incentives of up to Rs. 1 cr.
- SGST refund on capital goods.



State Level Policy Actions (3/3)

Odisha (RE policy, Industrial Policy)

- Two Green Hydrogen / Green Ammonia hubs to be developed
- o Reimbursement of INR 3.00 per unit for power purchased & consumed from local DISCOMs for 20 years
- Renewable energy consumed for manufacturing of green hydrogen & green
 - Cross subsidy surcharge, additional surcharges & state transmission charges will be exempted for 20 years
 - 100% exemption from payment of Electricity Duty for 20 years from the date of commercial production.
- 100% exemption from Stamp Duty.
- o Reimbursement of 100% of net SGST paid, overall limited to 200% of the cost of plant & machinery.
- Reimbursement of 100% of the employer's contribution towards ESI & EPF Scheme for a period of 7 years

Gujarat (Aatmanirbhar Gujarat Scheme for large industries)

- Interest subsidy @ 7% for 8-10 years (cap 1% of investment)
- 080-100% Net SGST reimbursement for 10 yrs (cap 8% of investment)
- EPF reimbursement 10 years for new employees
- Electricity duty exemption



WRI Research




Identification and Assessment of Potential Hydrogen Hubs

Stage 1
Identifying the potential consumption sites

Stage 2

Analyzing based on resource availability, infrastructure requirements and demand

- India's hydrogen consumption ~ 5 MMT annually
- 99% used in petroleum refining and ammonia production
- Spatial data for major hydrogen consumers in India:
- Oil Refineries (A)
- Fertilizer plants (<>)





Hydrogen Production from Biomass

ONGOING/COMPLETED WORK

- ☐ Biomass residue availability study & applications of surplus residue/sewage/MSW for various bioenergy purposes
- ☐ Supply chain assessment & bottleneck study
- ☐ Hydrogen production potential study from different biomass production technology
- ☐ Literature review of various technologies to understand the biomass to hydrogen production routes
- ☐ Stakeholder consultation with multiple industry players & academicians

National Green Hydrogen Mission identified biomass as the potential pathway for the production of green hydrogen & aims to initiate focused pilot programs.

Future Activities

■ Working paper on the technical feasibility assessment of various hydrogen production routes from biomass



Supply Chains and Critical Mineral Assessment

National Green Hydrogen Mission provides subsidy to electrolysers as the potential pathway for the production of green hydrogen

Future Activities

■ Working paper on the critical minerals supply chain and demand assessment for electrolysis production routes for hydrogen

ONGOING/COMPLETED WORK

- ☐ Critical minerals assessment for electrolysers
- ☐ Supply chain assessment & bottleneck study
- ☐ Hydrogen production potential demand study for critical minerals from different production technology
- ☐ Literature review to understand the electrolysis hydrogen production routes



Opportunities across Hydrogen Value Chain

Hydrogen production infrastructure

- Renewable Energy & Power Transmission
- Electrolyzers
- Balance of Plant components

> 10 MW installed currently

Hydrogen storage and transportation

- Ports, Bunkers & Ships
- Pipelines, Storage tanks & Cylinders
- o Components (Compressors, Actuators, Cylinders, Valves etc.)

Hydrogen applications

- Hydrogen for heating
- o Fuel cell systems
- Manufacturing process adaption/retro fitment/redesign
- o Refueling stations

Projected
Demand
60-100 GW
by 2030



Thank You



Indicative Project Costs for a 1 MMTPA GH2 Facility

SI No.	Particulars	Size	Value (in, INR Crore)
1.	RE power plant (RTC)	~4.5 to 5.5 GW (RE Capacity @ 80% CUF)	25,000 to 30,000 Cr
2.	Electrolyser Unit	~1.3 GW	7,000 to 8,000 Cr
3.	GH Storage Tanks	~40 Nos of 5T	900 to 1,100 Cr
4.	Utilities-Cooling Water & Water treatment	_	450 to 500 Cr
5.	EPC (ASU) incl Construction & Engineering	-	550 to 650 Cr
6.	ВОР	_	900 to 1500 Cr
7.	Plant (excl RE)	1 MMTPA	9700 to 11,750 Cr
8.	Hydrogen Plant Plant (incl RE)	1 MMTPA	34,800 to 42,500 Cr



Local Value Addition (LVA):

LVA Factor:

Alkaline Electrolyser:

LVA%	LVA < 40%	40% ≤ LVA <50%	50% ≤ LVA <60%	60% ≤ LVA <70%	70% ≤ LVA <80%	80% ≤ LVA ≤90%	LVA > 90%	
LVA Factor	0	0.4	0.5	0.6	0.7	0.8	1.0	

PEM/SOEC/AEM Electrolyser:

LVA%	LVA < 30%	30% ≤ LVA <40%			60% ≤ LVA <70%	70% ≤ LVA ≤80%	LVA > 80%	
LVA Factor	0	0.4	0.5	0.6	0.7	0.8	1.0	

Performance Quotient:

Category Number	1	2	3	4	5	6	7	8	9	10	11	12
Specific Energy Consumption (σ) (kWh/kg of H ₂)	σ <46	46 ≤ σ <47	47 ≤ σ <48	48 ≤ σ <49	49 ≤ σ <50	50 ≤ σ <51	51 ≤ <i>σ</i> <52	52 ≤ σ <53	53 ≤ σ <54	54 ≤ σ <55	55 ≤ σ 56	σ >56
Performance Quotient	1.20	1.16	1.12	1.08	1.04	1.00	0.96	0.92	0.88	0.84	0.80	0

